



PROFESSIONAL TOOL for Plants



 MADE IN JAPAN

What is NISHIGAKI ?



TRADITION

NISHIGAKI inherited legitimate Japanese blade making techniques from its birthplace **MIKI**, the oldest town of blacksmiths in **Japan**.



INNOVATION

NISHIGAKI is the **ORIGINATOR** of the **Japanese style long reach pruner** that has an aluminum pole and a steel rod inside. NISHIGAKI's originality started from this invention.

NISHIGAKI has been providing unique hand and battery tools for **PROFESSIONAL FARMERS / FRUIT GROWERS / Urban Green Maintenance Agencies** for over 40 years. Well designed products with innovative features bring productivity to professional users.



Futomaru Raptor Blades



Futomaru Leveraged Structure



SAA Blades



Rotary Blade Brush Cutter Attachment

EXPLORATION

NISHIGAKI keeps exploring **NEW FIELDS OF TOOLS** based on customer's needs world-wide.



Futomaru Chainsaw Professional



Futomaru Handy Bud



Squash Scissors



Brush Cutter Attachment Swingless



Tradition + Innovation

Unique Blades



RAPTOR blade provides Outstanding Branch Cutting Power for both manual and electric pruners.



SAA blade brings sharp and plant friendly cutting to trees.



Rotary Scissor Cut is a synonym of safety cutting for urban roadsides.



Ground Trimmer Attachment made of alloy steel with a special grinding technique.



Ultra Fine Pitch (1.5mm) Saw cause less damage to sensitive plants such as blue berries.




NISHIGAKI is the Originator of Japanese Style Long Reach Pruner

N-100 Series, Invented in 1984.
(still continue to be sold)



European Style Long Reach Pruner





Hand Tool

Long Reach Branch Secateurs	P6-P7
Pruning Shears / Sharpening Stone	P8
Hedge Shears / PVC Pipe Cutter	P9
Telescopic Pole Saw / Super Pole Saw	P10
Ultra Fine Pitch Special Hand Saw (Sayanoko)	P11

Battery Product

Battery Long Reach Secateurs	P12
Battery Hedge Cutter	P13
Battery Pruning Shears / Chain Saw	P14

Attachment

SAFE Brush Cutter Attachment	P15
------------------------------	-----





Futomaru Branch Secateurs

Fixed Length

Raptor Blade

Resin resistant
Teflon Coated



2.0m

1520g

1.5m

1380g

1.0m

1220g

Total Length

0.8m

Weight

1160g



N-152



N-153



N-154



N-155

Telescoping



1.8-2.55m

1790g

Easy extension
with a lever.



N-160

Long Reach Branch Secateurs



Easy Cutting Secateurs


Nobi Nobi Secateurs

Fixed Length

Telescoping



2.0m
1110g



+



Attachment


1.9-3.3m
1400g



1.26-2.0m
1000g

1.8-3.0m
1300g

All blades are replaceable



Pruning Shears / Sharpening Stone



PRO 200 Series

Pruning

180mm

145g



N-202/202R

200mm

195g



N-203/203R

Total Length

Weight

N-233



Bud

200mm

140g



N-205/205R

N-235



Leaf

270mm

250g



N-207

N-238






Sharpening Stone



N-740-1

- Width : 22mm
- Length : 60mm
- Thickness : 5mm
- Grit : 1000



Hedge Shears / PVC Pipe Cutter



Hedge Shears



ModelN-370	ModelN-373	ModelN-374	ModelN-375
Total Length 535mm	680mm	700mm	720mm
Blade Length 160mm	160mm	180mm	200mm
Weight 750g	930g	990g	1050g
Short Handle	Long Handle		

Telescoping



ModelN-381	ModelN-382
Total Length 660mm	1000mm
Blade Length 150mm	760mm
Weight 890g	1080g
	1200mm


PVC Pipe Cutter

ModelN-421	ModelN-420
Φ42	Φ26
305g	225g
	Weight
	Replacement Blades






Telescopic Pole Saw



Super Pole Saw






Sayanoko Orchard 330



N-745

Total Length	■ 520mm
Blade Length	■ 330mm
Weight	■ 270g
Thickness	■ 0.8mm
Pitch	■ 2.4mm

Swarf removing teeth



Ultra Fine Pitch

Cut surface

(Front view)

(Side view)



Extraordinary Clean Cut
For Cutting Delicate Plants

Sayanoko Multi Purpose 270



Scabbard

Even if the saw upside down, it does not fall off because of the scabbard is holding it.



Tree Branches Bamboos PVC Pipes

Can cut various materials with its fine teeth.

N-746

Total Length	■ 450mm
Blade Length	■ 270mm
Weight	■ 145g
Thickness	■ 0.66mm
Pitch	■ 1.5mm



Ultra Fine Pitch

Battery Long Reach Secateurs



Futomaru 40 PRO Branch Secateurs



Powerful Cut 40mm Cut in 1 sec.

Futomaru 27 PRO Branch Secateurs



High Speed Cut 27mm Cut in 0.5 secs.

40
mm

Operating Capacity
900 Cuts /40mm
2000 Cuts /15mm

27
mm

Operating Capacity
6000 Cuts /27mm

Raptor Blade

Resin resistant
Teflon Coated



Battery&Charger

N-902-1

N-902-3




Battery

- Voltage : 14.4V
- Capacity : 6.8Ah
- Weight : 600g

Charger

- Charging Time 2 hours





SAA (Scissors Array Architecture) Hedge Cutter



Scissors Array Architecture Blade



- * Scissors Cut is kind to trees.
- * Outstanding Cutting Power from the Outrunner Motor.
- * Clean Cut with Special Sharpening Method.

Operating Time
60 min. / Full Charge

Operating Time
45 min. / Full Charge

15
mm

Clean Cut
15mm

Total Length 820mm

Weight 1.4kg

720mm

1.3kg

230mm



N-974

Battery & Charger

N-902-1

N-902-3



Battery

- Voltage : 14.4V
- Capacity : 6.8Ah
- Weight : 600g

Charger

- Charging Time 2 hours

2.09m

2.1kg

1.58m

1.9kg

400mm



Head Angle
Adjustable

1.08m

1.7kg



N-972



N-971



N-970

Battery Pruning Shears / Chain Saw



Futomaru Handy 25



25
mm

N-928



290mm

700g

Futomaru Handy Bud



20
mm

N-948



330mm

720g

Total Length

Weight

Futomaru Handy 35



35
mm

N-938



340mm

890g

14.4V/6.8Ah Battery

28.8V/2.1Ah Battery

Futomaru Chain Saw PRO

Chain Speed : 13m/sec

(Outstanding Chain Speed : Comparable to GAS chainsaws)

N-952



10" bar

1020g

N-950



4" bar

940g

28.8V/2.1Ah Battery

N-938-3



Battery

- Voltage : 28.8V
- Capacity : 2.1Ah
- Weight : 600g

N-938-4



Charger

- Charging Time : 45 minutes



Can cut a 130mmφ branch in 5 sec.

Outrunner Motor
Operating Capacity: 200 branches (50mmφ) / Full Charge

SAFE Brush Cutter Attachment




Fixed Angle Ultra Light Weight





* Extremely Light Weight
* Blade position is adjustable for easy sharpening.

Angle Adjustable Vertically



Angle Adjustable Vertically and Horizontally



Swingless



Kusakarimaru Rotating Scissors Cut



Rotating Scissors Cut





Nishigaki Industrial Co., Ltd

Please note that images and content from our downloads are subject to copyright.
If you have any questions or require further information, please get in touch.

Please note that the specifications and appearance of our products are subject to change,
and some products may be discontinued.

<https://www.nishigakicorporation.jp/>

Email: h-nakatsuka@ni-co.jp
K-tokura@ni-co.jp

